


SPLuz

Perfilados



PERFILADOS E FERRAGENS

A linha de PERFILADOS E FERRAGENS fabricada pela Bandeirantes é composta por uma vasta quantidade de peças padronizadas, inter-relacionadas quanto ao sistema de aplicação, porém de utilizações as mais variadas.

O Emprego dessas peças permite a formação de um sistema completo, que será empregado na condução e derivação de fiação, sustentação de luminárias e também na sua auto sustentação garantindo assim, versatilidade, rapidez de montagem e economia.

Os Perfilados são utilizados para sustentação de luminárias e condução de fios e cabos elétricos para alimentação.

GRÁFICO PARA PERFILADOS
GRAPHICS FOR SHAPES

GRÁFICO DE CARGA DISTRIBUÍDA (kgf/m) - PERFILADOS SIMPLES E CONJUGADOS
GRAPHIC OF DISTRIBUTED LOAD (kg / m) - SIMPLE AND COUPLED SHAPES

S=**PERFILADOS SIMPLES** (SIMPLE SHAPES) - C=**PERFILADOS CONJUGADOS** (COUPLED SHAPES)





GRÁFICO DE CARGA CONCENTRADA (kgf/m) - PERFILADOS SIMPLES E CONJUGADOS


GRAPHIC OF CONCENTRADED LOAD (kg / m) - SIMPLE AND COUPLED SHAPES

S = **PERFILADOS SIMPLES** (SIMPLE SHAPES) - C = **PERFILADOS CONJUGADOS** (COUPLED SHAPES).



PERFILADO PERFURADO 38x38mm


PERFORATED SHAPE 38x38mm



REF. BP 002

PERFILADO COM 2 FUROS NAS PONTAS 38x38mm


SHAPE WITH 2 HOLES ON THE TIPS 38x38mm



REF. BP 003

PERFILADO LISO 19x38mm COM 2 FUROS


FLAT SHAPE 19x38mm WITH 2 HOLES



REF. BP 004


PERFILADO PERFURADO 19x38mm

PERFORATED SHAPE 19x38mm



REF. BP 005


FITA PERFURADA
PUNCHED TAPE



REF. BP 006

PERFILADO PERFURADO 38x38mm SUPER


PERFORATED SHAPE 38x38mm SUPER



REF. BPS 001

TAMPA DE PRESSÃO PARA PERFILADOS


PRESSURE COVER FOR SHAPES



REF. BP 010

TAMPA DE ENCAIXE PARA PERFILADOS


FITTING COVER FOR SHAPES



REF. BP 009

PERFILADO DUPLO COM 4 FUROS NAS PONTAS 38x76mm


DOUBLE PERFORATED SHAPE
WITH 4 HOLES ON THE TIPS 38x76mm



REF. BP 093

PERFILADO DUPLO PERFURADO 38x76mm


DOUBLE PERFORATED SHAPE 38x76mm



REF. BP 092

JUNÇÃO RÁPIDA


INTERNAL JUNCTION



REF BP 067

JUNÇÃO RÁPIDA "L"


INTERNAL JUNCTION "L"



REF BP 068

JUNÇÃO RÁPIDA "T"


INTERNAL JUNCTION "T"



REF BP 069

JUNÇÃO RÁPIDA "X"


INTERNAL JUNCTION "X"



REF BP 070

JUNÇÃO EXTERNA


EXTERNAL JUNCTION



REF BP 066


TALA
SPLICE

FUROS	REF.
1	BP 011
2	BP 012
3	BP 013
4	BP 014
5	BP 015
6	BP 016




JUNÇÃO “L” RETA
"L" STRAIGHT JUNCTION

REF. BP 021




JUNÇÃO “X” COM 7 FUROS
"X" JUNCTION WITH 7 HOLES




REF. BP 020

JUNÇÃO “T” RETA
"T" STRAIGHT JUNCTION



REF. BP 022


JUNÇÃO “T” RETA LONGA
"T" LONG STRAIGHT JUNCTION



REF. BP 023


DUPLO VERTICAL
DOUBLE VERTICAL

REF. BP 008DV




DUPLO HORIZONTAL
DOUBLE HORIZONTAL

REF. BP 008DH




CURVA VERTICAL INTERNA PARA PERFILADO
INTERNAL VERTICAL BEND FOR SHAPE




REF. BP 080

CURVA VERTICAL EXTERNA PARA PERFILADO
EXTERNAL VERTICAL BEND FOR SHAPE




REF. BP 081

CURVA DE INVERSÃO PARA PERFILADO
INVERSAL VERTICAL BEND FOR SHAPE




REF. BP 082

DESNÍVEL PARA PERFILADO
STEPPING FOR PROFILED




REF. BP 083

SAÍDA LATERAL Ø
SIDE EXIT Ø




FUROS	REF.	FUROS	REF.	FUROS	REF.
½"	BP 063A	3/4"	BP 063B	1"	BP 063C

SAÍDA DUPLA LATERAL Ø
DOUBLE SIDE EXIT Ø




FUROS	REF.	FUROS	REF.	FUROS	REF.
½"	BP 064A	3/4"	BP 064B	1"	BP 064C

CURVA HORIZONTAL
HORIZONTAL BEND




REF. BP 094

GANCHO CURTO PARA PERFILADO
SHORT CLAMP FOR SHAPE




REF. BF 077

GANCHO LONGO PARA PERFILADO
LONG CLAMP FOR SHAPE




REF. BP 067A

GANCHO LONGO PARA LUMINÁRIA
LONG CLAMP FOR LAMP



REF. BP 066

SUPORTE J PARA TUBO Ø 3/8", 1/2" ,3/4" E 1"



REF. BF - 205


GANCHO PARA PERFILADO 38x38mm SUSPENSO ATRAVÉS DE CABO DE AÇO

CLAMP FOR SHAPE 38x38 (SUSPENDED BY STEEL CABLE)



REF. BP 084

GANCHO CURTO PARA LUMINÁRIA
SHORT CLAMP FOR LAMP



REF. BP 065

GANCHO PARA CABO DE AÇO
CLAMP FOR STEEL CABLE

REF. BF 087




INCLUSO
PARAFUSO Ø 3/8" x 1 1/4"
PORCA SEXTAVADA - Ø 3/8"


INCLUDES
SCREW Ø 3/8" x 1 1/4"
AND HEXAGONAL NUT - Ø 3/8"

JUNÇÃO “T”
"T" JUNCTION


REF. BP 019



DEMONSTRATIVO DE MONTAGEM
EXAMPLE OF ASSEMBLY




SAÍDA COM LUVA
OUTLET WITH COUPLING PIPE



FUROS	REF.
1/2"	BP 071A
3/4"	BP 071B


SAPATA REFORÇADA
REINFORCED SHOE

REF. BP 055




SAPATA INTERNA 4 FUROS
REINFORCED SHOE WITH 4 HOLES

REF. BP 056




SAPATA RÁPIDA 1 FURO
FAST SHOE WITH 1 HOLE

REF. BP 057




DISTANCIADOR “U” SIMPLES
SIMPLE "U" SEPARATOR




REF. BP 049

DISTANCIADOR “U” DUPLO
DOUBLE "U" SEPARATOR




REF. BP 050

DISTANCIADOR “U” QUÁDRUPLO
QUADRUPLE "U" SEPARATOR




REF. BP 052

DISTANCIADOR “U” TRIPLO
TRIPLE "U" SEPARATOR




REF. BP 051

CANTONEIRA “ZZ” BAIXA COM RASGO
LOW "ZZ" ANGLE BAR WITH SLOT




REF. BP 053

CANTONEIRA “ZZ” COM RASGO
"ZZ" ANGLE BAR WITH SLOT




REF. BP 054

CANTONEIRA “ZZ” DUPLA VERTICAL
DOUBLE VERTICAL “ZZ” ANGLE BAR




REF. BP 047

CANTONEIRA “ZZ” DUPLA HORIZONTAL
DOUBLE HORIZONTAL “ZZ” ANGLE BAR



REF. BP 048


CANTONEIRA “ZZ”
“ZZ” ANGLE BAR



REF. BP 046

SAPATA EXTERNA 4 FUROS
EXTERNAL SHOE WITH 4 HOLES


REF. BP 058




SAPATA EXTERNA DUPLA 4 FUROS

REF. BP 059

DOUBLE EXTERNAL SHOE WITH 4 HOLES




ARRUELA ADAPTADORA
ADAPTER WASHER



REF. BP 060


SAÍDA FINAL Ø 3/4”
FINAL EXIT Ø 3 / 4 “

REF. BP 061




SAÍDA SUPERIOR Ø 3/4”
UPPER EXIT Ø 3 / 4 “

REF. BP 062




CANTONEIRA “Z”
“Z” ANGLE BAR

REF. BP 044




CANTONEIRA “Z” BAIXA
LOW "Z" ANGLE BAR

REF. BP 043



CANTONEIRA “ZZ” BAIXA
LOW "ZZ" ANGLE BAR


REF. BP 045



BASE DUPLA PARA LIGAÇÃO EM PAINEL


DOUBLE BASE FOR CONNECTION IN PANEL

REF. BP 085



CAIXA DE DERIVAÇÃO “I” PARA PERFILADO DUPLO COM 1 SAÍDA INFERIOR


"I" JUNCTION BOX FOR DOUBLE SHAPE WITH 1 LOWER EXIT



REF. BP 100

CAIXA DE DERIVAÇÃO “C” PARA PERFILADO DUPLO COM 1 SAÍDA INFERIOR

"C"JUNCTION BOX FOR DOUBLE SHAPE WITH 1 LOWER EXIT




SAÍDA 38 E 76mm
EXIT 38 AND 76mm

REF. BP 099

CAIXA DE DERIVAÇÃO “C” PARA PERFILADO DUPLO COM 2 SAÍDAS INFERIORES


"C" JUNCTION BOX FOR DOUBLE SHAPE WITH 2 LOWER EXITS



REF. BP 101


CAIXA DE DERIVAÇÃO “I”
“I” JUNCTION BOX

REF. BP 076




CAIXA DE DERIVAÇÃO “C”
“C” JUNCTION BOX

REF. BP 075




CAIXA DE DERIVAÇÃO “L”
“L” JUNCTION BOX

REF. BP 074




CAIXA DE DERIVAÇÃO “T”
“T” JUNCTION BOX

REF. BP 072




CAIXA DE DERIVAÇÃO “X”
“X” JUNCTION BOX

REF. BP 073



CAIXA DE DERIVAÇÃO “L” DIREITA PARA PERFILADOS DE 38 E 76
RIGHT SIDE “L” JUNCTION BOX
FOR SHAPES OF 38 AND 76


REF. BP 102



CAIXA DE DERIVAÇÃO“L” ESQUERDA PARA PERFILADOS DE 38 E 76 mm

LEFT SIDE “L” JUNCTION BOX FOR ROFILED OF 38 AND 76


REF. BP 103



CAIXA DE DERIVAÇÃO “T” PARA 2 PERFILADOS DE 38 E 1 DE 76

“T” JUNCTION BOX FOR 2 PROFILESD OF 38 AND 1 OF 76


REF. BP 104



CAIXA DE DERIVAÇÃO “T” PARA 2 PERFILADOS DE 76 COM SAÍDA PARA 38

“T” JUNCTION BOX FOR 2 SHAPES OF 76 WITH EXIT TO 38


REF. BP 105



CAIXA DE DERIVAÇÃO “X” PARA 2 PERFILADOS DE 38 E 2 DE 76

"X" JUNCTION BOX FOR 2 SHAPES OF 38 AND 2 OF 76


REF. BP 106



CAIXA DE DERIVAÇÃO “I” PARA PERFILADO DUPLO

"I" JUNCTION BOX FOR DOUBLE SHAPE


REF. BP 076



CAIXA DE DERIVAÇÃO “C” PARA PERFILADO DUPLO


"C" JUNCTION BOX FOR DOUBLE SHAPE

REF. BP 075




CAIXA DE DERIVAÇÃO “L” PARA PERFILADO DUPLO
"L" JUNCTION BOX FOR DOUBLE SHAPE

REF. BP 074




CAIXA DE DERIVAÇÃO “T” PARA PERFILADO DUPLO
"T" JUNCTION BOX FOR DOUBLE SHAPE

REF. BP 072




CAIXA DE DERIVAÇÃO “X” PARA PERFILADO DUPLO
"X" JUNCTION BOX FOR DOUBLE SHAPE

REF. BP 073



REDUÇÃO DA CAIXA PARA PERFILADO 38x38mm

BOX REDUCTION FOR SHAPE OF 38x38mm



REF. BP 107


PARAFUSO OLHAL
EYE BOLT

REF. BF 084

Ø 1/4” - A=Ø 13
Ø 3/8” - A=Ø 18
Ø 1/2” - A=Ø 21


Ø 1/4”
Ø 3/8”
Ø ½”

ESPECIFICAR JUNTO A REFÊRENCIA O Ø



PROLONGADOR PARA SUSPENSÃO
90º CROSSING

REF. BF 083




Ø 1/4”
Ø 3/8”
Ø ½”

ESPECIFICAR JUNTO A REFÊRENCIA O Ø

GRAMPO “C” ROSCA Ø 1/4”
“C” CLIP WITH THREAD Ø 1/4”


REF. BF 118



INCLUSO:
PARAFUSO Ø 1/4” x 7/8”
INCLUDES SCREW Ø 1/4” x 7/8”


BRAÇADEIRA “D” NÃO INCLUSA
“D” PIPE CLAMP NOT INCLUDED

DEMONSTRATIVO DE MONTAGEM
EXAMPLE OF ASSEMBLY




NOTA: UTILIZAR SOQUETEIRA COM ROSCA ½”GÁS
NOTE: USE SOCKET WITH THREAD OF ½ "GAS

SUSPENSOR PARA CABO DE AÇO Ø 1/8”
SUSPENSOR FOR STEEL CABLE Ø 1 / 8 “




REF. BF 076

FITAS METÁLICAS
METAL TAPES




REF.	LARGURA (mm)	ESPESSURA (mm)	DIÂMETRO DO FURO (mm)	DISTÂNCIA ENTRE FUROS (mm)	ROLOS (m)
BP-006	19	0,50	7	10	30

CAIXA PARA TOMADA EM PERFILADO
BOX FOR OUTLET IN SHAPE



REF. BP 077

CAIXA PARA LIGAÇÃO EM PERFILADO
BOX FOR CONNECTION IN SHAPE



REF. BP 079

SPLUZ

www.spluziluminacao.com.br

contato@spluziluminacao.com.br